

TANIZAWA Safety Helmet



ST#118-EP&EPZ



ST#148-E&EZ



ST#148-JZ



ST#177-EPZ



ST#185A-F



ST#1080-EP&EPZ



ST#0169-FZ



ST#130-EZ Crubo



ST#101-JPZ&GPZ



ST#0185-FZ



ST#1040-EP



ST#101J-SH



ST#118-EP&EPZ

Short peak & Heat-resistant

■ Feature

- Standard model using FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	FRP (Fiber Glass)	
Weight (±3%)	ST#118-EP	395g
	ST#118-EPZ	425g
Suspension Type	Type E-EPA	
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	
Malaysia DOSH (JKKP SH 02/07)	ST#118-EP only	
Shell Colour		

ST#118-EP




ST#118-EPZ



■ Standard Attach

- EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- Impact Absorption Liner (ST#118-EPZ only)**
 - For protection at the time of fall.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com



ST # 148-E & EZ

Light weight & Electric resistant

For electricity (using voltage : Not higher than 7,000V)

■ Feature

- Light model using special ABS
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	ABS	
Weight (±3%)	ST#148-E	340g
	ST#148-EZ	365g
Suspension Type	Type E3-EPA	
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	
Shell Colour		

ST#148-E




ST#148-EZ



■ Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner (ST#148-EZ only)**
 - For protection at the time of fall.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

**ST # 148-JZ****Light weight & Electric resistant**

For electricity (using voltage : Not higher than 7,000V)


■ Feature

- Light model using special ABS
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	ABS	
Weight (±3%)	ST#148-JZ	385g
Suspension Type	Type J1-EPA	
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	
Shell Colour	W-1 Y-2 C-3 C-15 G-2 B-1	

ST#148-JZMaterial
ABS**EPA****■ Standard Attach**

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner**
 - For protection at the time of fall.

**SAFPACK INDUSTRIAL SUPPLIES SDN BHD**

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 177-EPZ

Light weight & Heat-resistant




ST#177-EPZ



Material
FRP
Light weight

EPA



Feature

- Light model using special FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	FRP (Fiber Glass)	
Weight (±3%)	ST#177-EPZ	405g
Suspension Type	Type E-EPA	
Safety Standard	JIS T 8131 : 2015	
	Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	

Shell Colour



Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner**
 - For protection at the time of fall.




SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 185A-F

Front peak, with utility slot



Super Fit (53-62cm) ← **Push** → Smooth Release

Easy **P**ush – release **A**ddjuster Buckle System



4 Point Chin Strap

Feature

- Light model using special ABS
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	ABS
Weight (±3%)	ST#185A-F 380g
Suspension Type	Type F-EPA
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)
Malaysia DOSH	JKKP SH 01/07

Shell Colour



Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.

ST#185A-F



Material **ABS**

Utility slot

EPA



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.

Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 1080-EP

ST # 1080-EPZ


Light weight & Heat-resistant



ST#1080-EP



ST#1080-EPZ



■ Feature

- Light model using special FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	FRP (Fiber Glass)	
Weight (±3%)	ST#1080-EP	335g
	ST#1080-EPZ	360g
Suspension Type	Type E-EPA	
Safety Standard	JIS T 8131 : 2015	
	Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	

Shell Colour



■ Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner (ST#1080-EPZ only)**
 - For protection at the time of fall.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com



ST # 0169-FZ


Light weight & Electric resistant
For electricity (using voltage : Not higher than 7,000V)

■ Feature

- Light model using special ABS
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	ABS
Weight (±3%)	ST#0169-FZ 370g
Suspension Type	Type F-EPA
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)
Shell Colour	W-1 Y-2 C-8 B-1 G-2 GR-5

ST#0169-FZ



■ Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner**
 - For protection at the time of fall.



Super Fit (53-62cm) **Push** Smooth Release
Easy Push – release Adjuster Buckle System



4 Point
Chin Strap



Impact
Absorption
Liner



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com




ST#130-EZ Crubo

For disaster prevention & portable use

The upper part rotates, and the height becomes half (80mm)

Feature


- Special model using ABS
- Low center of gravity
- Adjustable shell that fits all
- Made in Japan of high quality



By changing the attachment position of the headband, wide adjustment

Shell Material	ABS	
Weight (±3%)	ST#130-EZ	420g
Suspension Type	Type 130-E	
Head Band Size	47 – 62 cm	
Package	A4 file size	

Shell Colour



ST#130-EZ



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 101-JPZ ST # 101-GPZ


Light weight & Heat-resistant



ST#101-JPZ



ST#101-GPZ




Feature

- Light model using special FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	FRP (Fiber Glass)	
Weight (±3%)	ST#101-JPZ	385g
	ST#101-GPZ	370g
Suspension Type (ST#101-JPZ)	Type J1-EPA	
Suspension Type (ST#101-GPZ)	Type G-EPA	
Safety Standard	JIS T 8131 : 2015	
	Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	

Shell Colour



Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner**
 - For protection at the time of fall.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 0185-FZ

Front peak, without utility slot



ST#0185-FZ



Material
ABS **EPA**



Super Fit
(53-62cm) ← **Push** → Smooth Release
Easy Push – release Adjuster Buckle System



4 Point
Chin Strap



Impact
Absorption
Liner

Feature

- Light model using special ABS
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	ABS
Weight (±3%)	ST#0185-FZ 375g
Suspension Type	Type F-EPA
Safety Standard	JIS T 8131 : 2015
	Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)

Shell Colour



Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.
- **Impact Absorption Liner**
 - For protection at the time of fall.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 1040-EP

Light weight & Heat-resistant



ST#1040-EP



Material
FRP
Light weight

EPA

Feature

- Light model using special FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality
- Lightweight with ventilation holes


Shell Material	FRP (Fiber Glass)
Weight (±3%)	ST#1040-EP 335g
Suspension Type	Type E-EPA
Safety Standard	JIS T 8131 : 2015 Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)

Shell Colour



Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD


No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com

ST # 101J-SH

Light weight & Heat-resistant



ST#101J-SH



■ Feature

- Light model using special FRP
- Low center of gravity
- Shell of shape that is appropriate for Asian
- Made in Japan of high quality

Shell Material	FRP (Fiber Glass)	
Weight (±3%)	ST#101J-SH	460g
Suspension Type	Type J2-EPA	
Safety Standard	JIS T 8131 : 2015	
	Standard for Protective Helmets (Ministry of Health, Labour and Welfare of Japan)	

Shell Colour



■ Standard Attach

- **EPA Buckle**
 - Tanizawa's new head band allows you to adjust the fit of the helmet with one hand, while it is on your head. Simply comfortable.
- **Chin Strap (4 point)**
 - It secures the helmet to the user's head and prevents it from falling off upon impact. It also ensures the helmet is fitted properly.



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com