

Ear Plug



Safefit 53556
(NRR 25dB)



SmartFit SMF-30
(NRR 25dB)



3M 1271
(NRR 24dB)



3M 1270
(NRR 24dB)



Howard Leight
DPAS-30R
(NRR 27dB)



Howard Leight
Max 1
(NRR 33dB)



Howard Leight
Max 30
(NRR 33dB)



Tasco RD1
(NRR 24dB)



3M 340-4004
(NRR 25dB)

Hearing Protection

Reusable Earplugs



Feature

- Triple mushroom design soft synthetic rubber ear plug
- Excellent noise reduction
- Reusable type
- Comes with poly box for easy storage

Specification

- Synthetic rubber material earplug
- Reusable corded type
- NRR 25dB
- Standard cup colour : Yellow
- Meet CE EN 352-2 and ANSI S3.19 certification

Code	Type	Description	Packing
53556	Reusable corded	3T reusable corded earplug in polybox	100prs/box



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.
Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com



HONEYWELL

SmartFit Multiple-Use Earplug

Delivers superior comfort and a truly personalized fit

Hearing Protection Reusable Earplugs



Feature / Specification

- Patented Conforming Material Technology uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control - a single product fits almost wearer
- Detachable cord system and HearPack storage case
- **Color** : Orange
Shape : 3 Flange
Material : TPE
NRR : 25
- NRR testing in accordance with ANSI S3.19-1974

Recommendation

- | | | |
|--------------------------------|-----------------|---------------------|
| ■ Assembly/Light Manufacturing | ■ Petrochemical | ■ Military |
| ■ Automotive | ■ Agriculture | ■ F&B |
| ■ Aviation | ■ Landscaping | ■ Metal Fabrication |
| ■ Construction | | |

Code	Type	Description	Packing
SMF-30	Reusable corded	Detachable Fabric Cord	100prs/box



SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong,
47100 Puchong, Selangor Darul Ehsan, Malaysia.

Tel : +603 5882 4831 Fax : +603 5882 4839 Website : www.safpack.com