# **DR Series**







# DR22R



- J. G. No. TM205
- Silcone material facepiece
- Size: M
- Weight 210g or less (M)
- Economical due to replacement of filter only
- Low resistance and breathing is easy
- Two filters last about four times longer than one filter.
  (Comparison with same filter R1)



DR22R

### Recommendation

- Earth, sand and rock (Drilling, crushing work, etc.)
- Thunder work
- Grinder work
- Pesticide spraying work (wettable powder / powder)
- Decontamination work measures (when the risk of internal exposure is small)



#### SAFPACK INDUSTRIAL SUPPLIES SDN BHD

No.20, Jalan Industri PBP 7, Taman Industri Pusat Bandar Puchong, 47100 Puchong, Selangor Darul Ehsan, Malaysia.

Tel: +603 5882 4831 Fax: +603 5882 4839 Website: www.safpack.com



# **DR31C2**



#### **Feature**

- J. G. No. TM10
- TPE material facepiece
- Size : M
- Weight 95g or less (M)
- Economical due to replacement of filter only and filter is washable
- Double cushion facepiece
- Replaceable type classification: RL2

## Recommendation

- Works in existing asbestos (Classification 4 of the respiratory equipment in accordance with Japanese Standard)
- Particulate including heavy metals
- Welding, meltdown, melting works
- Tar mist / oil mist
- Water mists (Wet grinding)



#### SAFPACK INDUSTRIAL SUPPLIES SDN BHD



# DR77R



## DR77R

### **Feature**

- J. G. No. TM203
- TPE material facepiece
- Size: M
- Weight 120g or less (M)
- Comfortable fit and good seal
- Economical due to replacement of filter only
- Press & push for easy replacement of filter
- Replaceable type classification: RL1

# Recommendation

- Drilling, grinding, sand blasting and other operation which causes particles
- Pesticide spraying (Wettable powder, dry powder)



#### SAFPACK INDUSTRIAL SUPPLIES SDN BHD



# **DR71**



#### **Feature**

- Silicone material facepiece
- Size : M
- Easily worn together with protective eyewear
- Economical due to replacement of filter only and filter is washable
- Longer service life
- Speech disphragm ensures voice to be transmitted easily

# Recommendation

- Asbestos work (classification 4 for respiratory protection)
- Heavy metal containing arsenic, lead, chromium and zinc
- Welding, melting and melting work (including arc welding)
- Tar and oil mist
- Water mist (wet grinding)



### SAFPACK INDUSTRIAL SUPPLIES SDN BHD



# **DR77R2**



# **DR77R2**

### **Feature**

- J. G. No. TM45
- TPE material facepiece
- Size: M
- Weight 115g or less (M)
- Economical due to replacement of filter only
- Filter R2 containing activated carbon fibers (ACF) of the same shape as filter R2N

#### Recommendation

- Asbestos work (classification 4 for respiratory protection)
- Heavy metal containing dust
- Welding, melting and melting work (including arc welding)
- Pesticide spraying work (wettable powder / powder)
- Decontamination work measures (when the risk of internal exposure is small)
- Debris processing of dismantling, repair work such as buildings



#### SAFPACK INDUSTRIAL SUPPLIES SDN BHD